



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/728,233	12/04/2003	Dennis Lawrence Nicholson	21765-2	7486

7590 04/17/2007  
John S. Beulick  
Armstrong Teasdale LLP  
One Metropolitan Square, Suite 2600  
St. Louis, MO 63102

EXAMINER
----------

LU, JIPING

ART UNIT	PAPER NUMBER
----------	--------------

3749

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/17/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

# Office Action Summary

Application No.

10/728,233

Applicant(s)

NICHOLSON, DENNIS  
LAWRENCE

Examiner

Jiping Lu

Art Unit

3749

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 18 January 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102/103*

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 1-2, 4-6, 16 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Jacobson (U. S. Pat. 6,499,227) in view of Rudeen et al. (U. S. Pub. No. 2004/0084495 A1) or Antczak et al. (U. S. Pat. 5,934,530).

Jacobson shows a golf cart 15 comprising at least one external surface 20 of a support 20 and an apparatus 10 for coupling a glove 80 to the external surface of a support 20 of the golf cart 15. The support 20 has a vertical longitudinal axis. The apparatus 10 (Fig. 2) has a body 35 with an inner surface (facing the external surface 20 of golf cart 15) and an outer surface (opposite to the inner surface). The body 35 is substantially concentrically aligned with and coupled to the support 20 of the golf cart 15 such that the inner surface remains in substantial contact against the least one external surface 20 of the golf cart 15 during the operation of the golf cart 15. The body 35 has at least one first fastening mechanism 70 coupled to the body inner surface to said at least one external surface 20 of the golf cart 15. The body outer surface has at least one second fastening mechanism 50, 74, 126, 136 for removably coupling a glove 80 directly to the body 35 such that the glove 80 remains coupled to the apparatus 10 during the operation of the golf cart 15. The apparatus 10, 35 has a centerline axis of symmetry extending between a first end (right side of Fig. 2 the extended band, not numbered, at top edge) and an opposing second end (right side of Fig. 2 the extended band, not numbered, at bottom edge, not

Art Unit: 3749

numbered) of said apparatus 10, 35. The centerline axis of symmetry is coaxial or concentric with the longitudinal axis. Or alternatively, assuming the glove is not coupled directly to body, Ruddeen et al. teach a golf accessory carrier comprising a sheet material body 200 with an inner surface and an outer surface 210 having Velcro material for removably coupling a glove directly to the body same as claimed. The body 200 substantially concentrically aligned with a support. Antczak et al. teach a golf accessory organizer comprising a sheet material body 1 with an inner surface and an outer surface 19, 21 having Velcro material for removably coupling a glove 53 directly to the body same as claimed. The body 1 is substantially concentrically aligned with a support. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to substitute the golf accessory carrier/organizer of Rudeen et al. or Antczak et al. for the glove coupling apparatus 35 of Jacobson in order to facilitate coupling and removing glove to the golf cart.

3. Claims 1-12 and 16 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Ellenburg (U. S. Pat. 5,983,518) in view of Rudeen et al. (U. S. Pub. No. 2004/0084495 A1) or Antczak et al. (U. S. Pat. 5,934,530).

Ellenburg shows a golf cart 34 comprising at least one external surface 32 of a support 32 and an apparatus 10 for coupling a glove 36 to the external surface 32 of the support 32 of the golf cart 34. The support 32 has a longitudinal axis. The apparatus 10 has a body 20, 24 with an inner surface (facing the external surface 32 of golf cart 34) and an outer surface 20 (opposite to inner surface). The body 20, 24 is substantially concentrically aligned with and coupled to the support 32 of the golf cart 34 such that the substantially all of the inner surface remains in contact against the least one external surface 32 of the golf cart 34 during the operation of the

Art Unit: 3749

golf cart 34. The body 24 has at least one fastening mechanism (inner surface of 24 by friction) for coupling the body inner surface to said at least one external surface 32 of the golf cart 34.

The body outer surface has at least one fastening mechanism 12, 14, 16, 18, 19, 38, 40 for removably coupling a glove 36 (e.g. oversized glove) directly to the body 24 such that the glove 36 remains coupled to the apparatus 10, 12, 19 during the operation of the golf cart 34. The body comprises at least one fastening mechanism 26-30 for securing the body inner surface against the at least one external surface. The apparatus 10 has a centerline axis of symmetry extending between a first end (at top edge 22) and an opposing second end (at bottom edge below 24, not numbered) of said apparatus 10. The centerline axis of symmetry is coaxial or concentric with the longitudinal axis. For claim 7, the fastening mechanism of Ellenburg is capable of coupling an outer surface of a glove directly to the drying system between the first and second ends. Or alternatively, assuming the glove is not coupled directly to body, Ruddeen et al. teach a golf accessory carrier comprising a sheet material body 200 with an inner surface and an outer surface 210 having Velcro material for removably coupling an outer surface of a glove directly to the body same as claimed. The body 200 substantially concentrically aligned with a support. Antczak et al. teach a golf accessory organizer comprising a sheet material body 1 with an inner surface and an outer surface 19, 21 having Velcro material for removably coupling an outer surface of a glove 53 directly to the body same as claimed. The body 1 substantially concentrically aligned with a support. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to substitute the golf accessory carrier/organizer of Ruddeen et al. or Antczak et al. for the glove coupling apparatus 10 of Ellenburg in order to facilitate coupling and removing glove to the golf cart.

Art Unit: 3749

4. Claims 1-16 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Passafiume (U. S. Pat. 2002/0138953 A1) in view of Rudeen et al. (U. S. Pub. No. 2004/0084495 A1) or Antczak et al. (U. S. Pat. 5,934,530).

Passafiume shows a golf cart 14 comprising at least one external surface 12 of a support 12, 22 and an apparatus 10 for coupling a glove 20 to the external surface 12 of the golf cart 14. The apparatus 10 has a body 56 with an inner surface 54a, 56a, 58a and an outer surface 54b, 56b, 58b. The support 12 of the golf cart has a longitudinal axis. The body 10 is substantially concentrically aligned with and coupled to the support 12, 22 of the golf cart 14 such that the substantially all of the inner surface remains in contact against the least one external surface 12 of the golf cart 14 during the operation of the golf cart 14. The body 10 has at least one fastening mechanism (inner surface of 54a-58a and 60, 62 by friction and clamping) for coupling the body inner surface to said at least one external surface 12 of the support 12, 22 of the golf cart 14. The body outer surface has at least one second fastening mechanism 30-80 for removably coupling a glove 20 (oversized glove) directly to the body 10 such that an oversized glove 20 is capable of remaining directly coupled to the apparatus 10 during the operation of the golf cart 14. The body comprises at least one fastening mechanism 60, 62, 64 for securing the body inner surface against the at least one external surface. For claim 13, see first fastening mechanism 62, 64 adjacent the body first end and at least one second fastening mechanism 60, 64 adjacent the body second end. The apparatus 56 has a centerline axis of symmetry extending between a first end (at top edge 62) and an opposing second end (at bottom edge below 62, not numbered) of said apparatus 56. The centerline axis of symmetry is coaxial or concentric with the longitudinal axis. For claims 7 and 13, the fastening mechanism of Passafiume is capable of coupling an

Art Unit: 3749

outer surface of a glove directly to the drying system. Or alternatively, assuming the glove is not coupled directly to body, Ruddeen et al. teach a golf accessory carrier comprising a sheet material body 200 with an inner surface and an outer surface 210 having Velcro material for removably coupling an outer surface of a glove directly to the body same as claimed. The body 200 substantially concentrically aligned with a support. Antczak et al. teach a golf accessory organizer comprising a sheet material body 1 with an inner surface and an outer surface 19, 21 having Velcro material for removably coupling an outer surface of a glove 53 directly to the body same as claimed. The body 1 substantially concentrically aligned with a support. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to substitute the golf accessory carrier/organizer of Ruddeen et al. or Antczak et al. for the glove coupling apparatus 10 of Passafiume in order to facilitate coupling and removing glove to the golf cart.

### *Response to Arguments*

5. Applicant's arguments with respect to claims 1-16 filed on Jan. 18, 2007 have been considered but are not persuasive to overcome the rejection. First claims fail to structurally define over the prior art references. The applicant argues that the prior art references do not teach or show that a longitudinal axis of the golf cart support and the centerline axis extending the upper and lower edge of the apparatus are coaxial. The examiner disagrees. The newly added broad claim 16 merely calls for golf supporting band or body 54 wrap around a golf cart support 41 such that their axes or centerlines are in a coaxial or concentric relationship. The body 54 has fastening mechanism for removably coupling a glove 10 directly to said body 54.

Art Unit: 3749

This is clearly shown by the prior art references, see rejection *supra*. Therefore, it is the examiner's position that the claims 1-16 presented are unpatentable. The applicant is requested to point out from the claim if any limitations that the references do not teach or shown. Second, the applicant also argues that there is no teaching or motivation to combine other prior art references. The examiner disagrees. The examiner hereby incorporates by reference the rebuttals made in the Office action of 10/19/05.

### *Conclusion*

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jiping Lu whose telephone number is 571 272 4878. The examiner can normally be reached on Monday-Friday, 9:00 AM - 5:30 PM.



Art Unit: 3749

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, KENNETH RINEHART can be reached on 571 272-4881. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Jiping Lu  
Primary Examiner  
Art Unit 3749

J. L.